

# Invacare® TDX® SP Rehab Seat Power Wheelchair



## Price List and Order Form

Effective October 9, 2006 Revised October 1, 2007

For ease of ordering, contact customer Service Toll Free at:

800-333-6900 Fax: 800-678-4682

To order Literature: 800-828-6282

www.invacare.com

Yes, you can.®

Company Name \_\_\_\_\_ Account # \_\_\_\_\_

Phone \_\_\_\_\_ P.O. # \_\_\_\_\_ Date \_\_\_\_\_

Ship to Name & Address \_\_\_\_\_

### Special Note

HCPCS codes are not intended to be, nor should be considered billing or legal advice. Providers are responsible for determining the appropriate billing codes when submitting claims to the Medicare Program and should consult an attorney or other advisor to discuss specific situations in further detail.

### CHAIR TYPE

- TDXSP TDX SP with MK6i™ (K0848/K0850)..... 5,600.00 <sup>1</sup>
- TDXSPBASE TDX SP Base Only with MK6i..... 5,200.00 <sup>1</sup>
- TDXSPSEAT TDX Seat Only ..... 740.00

### Group 3 – K0848

#### Basic Package

- TDX SP with MK6i and Adjustable Rehab Seat
- 300 lb Weight Capacity
- 1431-3 14" X 3" Tires w/Foam Filled Inserts .....\$250.00
- 4 Pole Motors .....Standard
- Flip Back Fixed Height Arm .....Standard
- MK690 90 Amp Controller .....Standard
- SPJPLUS SPJ™+ Single Drive Joystick .....Standard
- 70NHD 70° Swingaway Footrests .....Standard
- 8 Amp Off Board Battery Charger .....Standard
- 1515 Push Button Style Seat Positioning Strap .....Standard

### Group 3 – K0850

#### Basic Package

- TDX SP with MK6i and Adjustable Rehab Seat
- 400 lb Weight Capacity
- 1431-3 14" X 3" Tires w/Foam Filled Inserts .....\$250.00
- Heavy Duty 4 Pole Motors ..... Standard
- Flip Back Fixed Height Arm ..... Standard
- MK690 90 Amp Controller ..... Standard
- SPJPLUS SPJ™+ Single Drive Joystick ..... Standard
- 70NHD 70° Swingaway Footrests ..... Standard
- 8 Amp Off Board Battery Charger ..... Standard
- 1515 Push Button Style Seat Positioning Strap ..... Standard

### TRANSPORT TIE-DOWN

- TRRO Transport Ready Option ..... 300.00
- TRBKTS Wheelchair Transport Brackets..... 250.00

### \*TRANSPORT TIE-DOWN

TRRO includes four factory-installed transport brackets and a wheelchair anchored pelvic belt. TRRO has been crash-tested in accordance with ANSI/RESNA WC Vol1. Section 19 Frontal Impact Test requirements for wheelchairs with a 168 lb crash dummy, which corresponds to a person with a weight of 114 lb to 209 lb.

TRBKTS includes four factory-installed wheelchair transport brackets. TRBKTS has not been crash-tested in accordance with WC19. Use these transport brackets only to secure an unoccupied wheelchair during transport.

As of this date, the Department of Transportation has not approved any tie-down systems for transportation of a user while in a wheelchair, in a moving vehicle of any type. It is Invacare's position that users of wheelchairs should be transferred into appropriate seating in vehicles for transportation and use be made of the restraints made available by the auto industry. Invacare cannot and does not recommend any wheelchair transportation systems.

\*Transport Tie-Down option is not retrofittable to existing models and is not field serviceable.

### TRRO FEATURES FOR TDX SP

Features Required for TRRO	Optional Features for TRRO
<ul style="list-style-type: none"> <li>• TDXSP</li> <li>• 70° Swingaway, 70° Tapered, or Manual Center Mount Front Riggings</li> <li>• Any Arm Style</li> <li>• Adjustable Rehab Seat with Adjustable Seat Tilt &amp; Back Angle</li> <li>• Sectional or Straight Rear Uprights or No Push Handles</li> <li>• 14" x 3" Tires with Foam Filled Inserts</li> <li>• 90° or 95° Back Angle</li> <li>• 18" – 24" ASBA Back Height</li> <li>• Any Seat Width</li> <li>• Any Seat Depth</li> <li>• 300 lb or 400 lb user weight limit</li> <li>• Low Seat-to-Floor Height</li> <li>• 22NF Batteries</li> <li>• Any Color Frame Finish</li> </ul>	<ul style="list-style-type: none"> <li>• Adjustable Angle Flip Up Footplates, Flip-Up Composite Footplates or Aluminum Footplates-Deluxe</li> <li>• Wheel Locks</li> <li>• Calf Strap</li> <li>• Heel Loops w/Ankle Straps</li> <li>• Impact Guards</li> <li>• One Sided Fork Package</li> <li>• SPJ+, MPJ+ Joystick</li> <li>• All PSR+ / PSF+ Joysticks</li> <li>• Proportional Attendant Control</li> <li>• "T" Handle Flexible Joystick Ext.</li> <li>• Left Hand Mounted Joystick</li> <li>• Straight Handle Flexible Joystick Ext.</li> <li>• Easy Remote Programmer</li> <li>• Reinforced Back Upholstery</li> </ul>

### FOOTNOTE

<sup>1</sup> TDXSP comes standard with: 300 lb user weight capacity, 5.8 MPH top speed, 4-pole motor package & MK6i SPJ+ Joystick, MK690 Controller, Quiet Stability Lock. Base only comes standard with MK690ACC Controller and SPJ+ with PSS Joystick. Additional joystick options available.

**NOTE: All specifications and dimensions are approximate.**  
For the most current pricing information go to [www.invacare.com](http://www.invacare.com).

# Invacare® TDX® SP Rehab Seat Power Wheelchair

## Accessories and Options

### USER WEIGHT LIMITS

- U300 User Weight <300 lb (K0848)..... **Standard** <sup>1</sup>
- U400 Heavy Duty Upgrade to <400 lb (K0850) ..... 1,175.00 <sup>2</sup>

### SEAT-TO-FLOOR HEIGHT

- LOW Seat-to-Floor Low ..... **Standard**
- MED Seat-to-Floor Medium ..... No Charge
- TALL Seat-to-Floor Tall ..... No Charge

### WHEEL OPTION (PAIR)

- 1430-3 14" x 3" Pneumatic Tires..... **Standard**
- 1431-3 14" x 3" w/Foam Filled Inserts ..... 250.00

### FORK OPTION

- FKPKG One-Sided Fork Package ..... 500.00

### FRAME FINISH

#### CONTEMPORARY

- 24P Wet Black ..... No Charge
- 60P Silver Metallic ..... No Charge
- 71P Silver Vein ..... No Charge
- 105P Midnight Blue ..... No Charge
- 115P Black Prism ..... No Charge

#### TOO HOT

- 30P Sunny Yellow ..... No Charge
- 61P Electric Red ..... No Charge
- 119P Bubblegum Pink ..... No Charge
- 120P Grape Madness ..... No Charge

#### WAY COOL

- 62P Electric Blue ..... No Charge
- 104P Electric Teal ..... No Charge
- 121P Lolly Pop Blue ..... No Charge
- 122P Cosmic Blue ..... No Charge
- 125P Emerald Green ..... No Charge
- 127P Grasshopper Green ..... No Charge

## SEAT

### SEAT SELECTION

- ADJASBA Adj. Rehab Seat w/Adj. Seat Tilt & Back Angle..... **Standard**
- ADJRECL Manual Recline for Adjustable ASBA (E1226) .. 744.00
- CTS Contoura Seating ..... 395.00 <sup>3</sup>
- OMCU Omit Contoura Seat Cushion..... Less 20.00

### ADJUSTABLE SEAT WIDTH RANGE

- 1216W 12" to 16" Seat Width Range ..... No Charge <sup>4</sup>
- 1620W 16" to 20" Seat Width Range ..... No Charge
- 2024W 20" to 24" Seat Width Range ..... No Charge

### ADJASBA SEAT WIDTH <sup>5</sup>

- W12 Seat Width 12" ..... 110.00 <sup>6</sup>
- W13 Seat Width 13" ..... 110.00 <sup>6</sup>
- W14 Seat Width 14" ..... 110.00 <sup>6</sup>
- W15 Seat Width 15" ..... No Change <sup>6</sup>
- W16 Seat Width 16" ..... No Change
- W17 Seat Width 17" ..... No Change
- W18 Seat Width 18" ..... No Change
- W19 Seat Width 19" ..... No Change
- W20 Seat Width 20" ..... 329.00
- W21 Seat Width 21" ..... 329.00
- W22 Seat Width 22" ..... 329.00
- W23 Seat Width 23" ..... 329.00 <sup>7</sup>
- W24 Seat Width 24" ..... 469.00 <sup>7</sup>

### ADJUSTABLE SEAT DEPTH RANGE

- 1218D 12" to 18" Seat Depth Range.....No Charge <sup>4</sup>
- 1619D 16" to 19" Seat Depth Range.....No Charge
- 1922D 19" to 22" Seat Depth Range.....No Charge

### ADJASBA SEAT DEPTH SETTING <sup>8</sup>

- D12 Seat Depth 12" ..... 110.00 <sup>6</sup>
- D13 Seat Depth 13" ..... 110.00 <sup>6</sup>
- D14 Seat Depth 14" ..... 110.00 <sup>6</sup>
- D15 Seat Depth 15" ..... No Change <sup>6</sup>
- D16 Seat Depth 16" ..... No Charge
- D17 Seat Depth 17" ..... No Charge
- D18 Seat Depth 18" ..... No Charge
- D19 Seat Depth 19" ..... No Charge
- D20 Seat Depth 20" ..... 529.00
- D21 Seat Depth 21" ..... 529.00
- D22 Seat Depth 22" ..... 529.00

### FIXED ARM TYPE (PAIR)

- 18F Full Length Fixed Height Conv.....No Charge
- 28F Desk Length Fixed Height Conv..... **Standard**

### ADJUSTABLE ARM TYPE (PAIR)

- 19F Full Length Adj Hgt Conv. (E0973) ..... 230.00
- 29F Desk Length Adj Hgt Conv. (E0973)..... 230.00

### MIXED HEIGHT ADJUSTABLE ARM TYPE (EACH)

- 19FR Full Length Adj Hgt Right (E0973) ..... 115.00
- 29FR Desk Length Adj Hgt Right (E0973) ..... 115.00
- 19FL Full length Adj Hgt Left (E0973)..... 115.00
- 29FL Desk Length Adj Hgt Left (E0973)..... 115.00

### ASBA SEAT BACK TYPE

- SECT Sectional Rear Uprights..... **Standard**
- SRUP Straight Rear Uprights .....No Charge
- 9720P No Push Handles (Straight Canes) ..... 82.00
- L8661 Omit Rear Uprights..... Less 20.00

### ASBA SEAT BACK ANGLE DEGREE

- 90BA 90° ..... **Standard**
- 95BA 95° ..... No Charge

### FOOTNOTES

- <sup>1</sup> Package includes 4-pole motors and 5.8 MPH top speed with <300 lb user weight limit.
- <sup>2</sup> Package includes 4-pole motors and 5 MPH top speed with <400 lb user weight limit.
- <sup>3</sup> Selected seat depth on Contoura assumes 1" of back cushion compression. For example: When choosing an 18" depth the measurement from the front of the back cushion to the front of the seat pan equals 17". The Contoura back cushion is 2" thick. Please refer to page 5 for seat size offerings.
- <sup>4</sup> Must select 12" – 18" Depth Range (1218D) when ordering the 12" – 16" Seat Width Range (1216W).

### FOOTNOTES

- <sup>5</sup> Contoura available in even Seat Width from 16" – 24".
- <sup>6</sup> User weight limit is 150 lb.
- <sup>7</sup> Available only with 400 lb package.
- <sup>8</sup> Contoura available in Seat Depth 16" – 22".

**NOTE: All specifications and dimensions are approximate.**  
*For the most current pricing information go to [www.invacare.com](http://www.invacare.com).*

# Invacare® TDX® SP Rehab Seat Power Wheelchair Accessories and Options

## SEAT (CONTINUED)

### ASBA SEAT BACK HEIGHT

<input type="checkbox"/> BH12	Back Height 12" .....	No Charge
<input type="checkbox"/> BH13	Back Height 13" .....	No Charge
<input type="checkbox"/> BH14	Back Height 14" .....	No Charge
<input type="checkbox"/> BH15	Back Height 15" .....	No Charge
<input type="checkbox"/> BH16	Back Height 16" .....	No Charge
<input type="checkbox"/> BH17	Back Height 17" .....	No Charge
<input type="checkbox"/> BH18	Back Height 18" .....	No Charge
<input type="checkbox"/> BH19	Back Height 19" .....	No Charge
<input type="checkbox"/> BH20	Back Height 20" .....	No Charge
<input type="checkbox"/> BH21	Back Height 21" .....	No Charge
<input type="checkbox"/> BH22	Back Height 22" .....	No Charge
<input type="checkbox"/> BH23	Back Height 23" .....	No Charge
<input type="checkbox"/> BH24	Back Height 24" .....	No Charge

### CONTOURA BACK HEIGHT

<input type="checkbox"/> TSBH25	Back Height 25" .....	No Charge
<input type="checkbox"/> TSBH295	Back Height 29.5" .....	No Charge

### BACK HEIGHT RECLINER

<input type="checkbox"/> BHR18	Back Height 18" .....	No Charge
<input type="checkbox"/> BHR20	Back Height 20" .....	No Charge
<input type="checkbox"/> BHR22	Back Height 22" .....	No Charge
<input type="checkbox"/> BHR24	Back Height 24" .....	No Charge
<input type="checkbox"/> BHR26	Back Height 26" .....	No Charge

### SEAT POSITIONING STRAPS

<input type="checkbox"/> 1311BK	Airline Buckle Seat Pos. Strap .....	50.00 <sup>9</sup>
<input type="checkbox"/> 1515	Push Button Style Seat Pos. Strap .....	<b>Standard</b>

### CHEST POSITIONING STRAPS

<input type="checkbox"/> 7311BK	Airline Buckle Chest Pos. Strap (E0960).....	100.00
<input type="checkbox"/> 9515	Push Button Style Chest Pos. Strap (E0960) .....	100.00
<input type="checkbox"/> 7321BK	Hook & Loop Chest Pos. Strap (E0960).....	100.00

## ELECTRONICS

### MK6i™ CONTROLLERS

<input type="checkbox"/> MK690	90 Amp Controller.....	<b>Standard</b>
--------------------------------	------------------------	-----------------

### STANDARD DRIVER CONTROL

<input type="checkbox"/> SPJPLUS	SPJ+ Single Drive Joystick .....	<b>Standard</b>
----------------------------------	----------------------------------	-----------------

### EXPANDABLE CONTROLLER SYSTEMS

<input type="checkbox"/> MPJM6U	MPJ+ Multiple Drive Joystick (E2377) .....	750.00
<input type="checkbox"/> PSFM6	Personal Joystick, Inductive on Front (E2399) .....	1,130.00 <sup>10</sup>
<input type="checkbox"/> PSRM6	Personal Joystick, Inductive on Rear (E2399) .....	1,130.00 <sup>10</sup>
<input type="checkbox"/> PBOD	Push Button On/Off w/PB Drive Select.....	No Charge <sup>11</sup>
<input type="checkbox"/> PBSS	Push Button On/Off w/Speed Select .....	No Charge <sup>11,12</sup>
<input type="checkbox"/> OR	On/Off Mounted Right.....	No Charge <sup>11</sup>
<input type="checkbox"/> OL	On/Off Mounted Left.....	No Charge <sup>11</sup>
<input type="checkbox"/> ASLRDYM6	MK6 Display Only (No Drive Control) (E2377) .....	750.00 <sup>13</sup>

**FOR YOUR ASL DRIVE SYSTEM NEEDS  
PLEASE REFER TO THE FOLLOWING:  
ASL SINGLE INVOICE PRICE LIST FORM # 02-097.**

### FOOTNOTES

- <sup>9</sup> 1311BK not available on 12" – 15" wide.  
<sup>10</sup> TOD-SS: Toggle On/Off-Drive Select, Speed Potentiometer Standard.  
<sup>11</sup> PSRM6 Only.  
<sup>12</sup> Drive Select through mode switch, or mode switch and Joystick Command.  
<sup>13</sup> Display Only, No Driver Control. Allows choice from order form.

### ALTERNATIVE PROPORTIONAL CONTROL SYSTEMS

<input type="checkbox"/> 1500M6	Prop RIM Head Control w/ MK6i Display (2327) ....	2,875.00
<input type="checkbox"/> SMHD	Small Headrest .....	No Charge
<input type="checkbox"/> LGHD	Large Headrest .....	No Charge
<input type="checkbox"/> 1558MM6	Compact Joystick w/Display (E2373).....	1,130.00

### ALTERNATIVE DIGITAL CONTROL SYSTEMS

<input type="checkbox"/> SNPM6	Sip-N-Puff Digital Interface Box (E2325) .....	1,500.00 <sup>14</sup>
<input type="checkbox"/> 5018M6	Wafer Board & Digital Interface Box (E2322) .....	1,550.00 <sup>14</sup>
<input type="checkbox"/> 5020M6	Mini Tash Joystick & Digital Interface Box (E2321) .....	1,750.00 <sup>14</sup>

### SIP-N-PUFF KIT

<input type="checkbox"/> PKG32666	Therafin® Sip-N-Puff Breath Tube Kit (E2326) ..	380.00
-----------------------------------	---	--------

### ADDITIONAL CONTROL CHOICES

<input type="checkbox"/> 1558M6	Compact Joystick – Less Std Mount .....	770.00
<input type="checkbox"/> 5018	Wafer Board.....	310.00 <sup>15</sup>
<input type="checkbox"/> 5020	Mini Tash Joystick.....	405.00 <sup>15</sup>
<input type="checkbox"/> PACM6	Proportional Attendant Control.....	850.00
<input type="checkbox"/> 1552M	Digital Attendant Control.....	850.00 <sup>15</sup>

### JOYSTICK MOUNTING HARDWARE

<input type="checkbox"/> QLAM6	Quad Link Retract. Joystick Mnt MPJ+ (E1028) .....	279.00 <sup>16</sup>
<input type="checkbox"/> QLA	Quad Link Retract. Joystick Mnt SPJ+ (E1028).....	279.00 <sup>16</sup>
<input type="checkbox"/> ARM250	Stealth Height Adj. Joystick Mnt (E1028) .....	210.00
<input type="checkbox"/> LEFT	Left Handed Mounted Joystick .....	No Charge
<input type="checkbox"/> RIMHW	RIM Hardware For 1500 (E1028) .....	219.00
<input type="checkbox"/> PKG32669	Complete Bib Assembly (Tash/1558) .....	265.00
<input type="checkbox"/> GATMPJM6	Gatlin Midline for MPJ (E1028) .....	600.00
<input type="checkbox"/> GAT1812	Gatlin Midline for 1812 (E1028).....	600.00
<input type="checkbox"/> RCM	Rear Cane Mount for Compact Joystick .....	395.00

### ELECTRONIC ACCESSORIES

<input type="checkbox"/> 1813M6	MK6i Programmer w/Pro Memory Card .....	475.00
<input type="checkbox"/> 1813D	Pro Memory Card (USB Ready) .....	90.00
<input type="checkbox"/> 1560	"T" Handle Flexible Joystick Ext. (E2323) .....	77.00
<input type="checkbox"/> 1561	Straight Handle Flexible Joystick Ext. (E2323).....	77.00
<input type="checkbox"/> 1826	Chin Cup (2324) .....	48.00
<input type="checkbox"/> A24VPS	24V MK6 Auxiliary Power Source .....	200.00
<input type="checkbox"/> AUX12M6	Auxiliary Module For 1 & 2.....	795.00
<input type="checkbox"/> AUX34M6	Auxiliary Module For 3 & 4.....	795.00
<input type="checkbox"/> MPY	Monoport "Y" Cable for MPJ+ or Display .....	15.00
<input type="checkbox"/> 2PB	Dual Push Button.....	147.00 <sup>17</sup>
<input type="checkbox"/> 2SW	Dual Toggle .....	172.00 <sup>17</sup>

### FOOTNOTES

- <sup>14</sup> Must also use either a Multiple Drive Joystick or MK6i Display.  
<sup>15</sup> Requires SNPM6 Sip-N-Puff Interface Box.  
<sup>16</sup> QLAM6 and QLA come standard with ARM250.  
<sup>17</sup> Option to replace Mono Port "Y" cable when requiring two switch functions of the mode switch port on expandable controller systems. Not compatible with SPJ+ Joystick options

**NOTE: All specifications and dimensions are approximate.  
For the most current pricing information go to [www.invacare.com](http://www.invacare.com).**

# Invacare® TDX® SP Rehab Seat Power Wheelchair Accessories and Options

## POWER LEGS CONTROL MODULE <sup>18</sup>

- 4WSB Four Way Switch Box ..... No Charge
- S4WSB Multiple Actuator Interface Box (E2311) ..... 2,600.00
- FWT 4 Way Toggle ..... No Charge
- QPB 4 Push Buttons ..... No Charge

**For all systems with two or more actuators you must choose 4WSB at No Charge or the S4WSB with an Up Charge.**

**S4WSB Replaces the Four Way Switch Box and allows multiple actuator operation through the driver control.**

**FWT or QPB is required when choosing the 4WSB or S4WSB.**

## ASL OPTIONAL ACCESSORIES

- EGSBLK Egg Switch – Black ..... 65.00
- ASL304 Light Wobble Switch w/611 Mount ..... 320.00
- ASL202J Fiber Optic Switch..... 610.00 <sup>19</sup>
- ASL208J Adjustable Proximity Switch ..... 550.00 <sup>19</sup>
- ASL504JM6 Remote Emergency Stop Switch..... 535.00 <sup>19</sup>

## MISCELLANEOUS

### BACK ACCESSORIES

- L8601 Omit Back Upholstery ..... No Charge
- RBP Reinforced Back Upholstery ..... No Charge

### MISCELLANEOUS ACCESSORIES

- 1303 Wheel Locks ..... 45.00
- SEAT02 Oxygen Holder (ADJASBA Seat Only) (E2208) ..... 150.00

### BATTERY TRAY TYPE <sup>20</sup>

- 22TRY 22NF Style Tray ..... **Standard**
- 24TRY 24 Group Style Tray ..... No Charge

### BATTERIES

- 22NFBATTERY 22NF Battery (On Chair) (E2361).....300.00
- 24BATTERY 24 Gel Battery (On Chair) (E2363).....410.00

## SEATING AND POSITIONING

**FOR YOUR SEATING NEEDS  
PLEASE REFER TO THE FOLLOWING:  
REHAB SEATING AND POSITIONING PRODUCTS  
SEE PRICE LIST FORM 07-027.**

## FRONT RIGGINGS

### FRONT RIGGING <sup>21</sup>

#### CENTER MOUNT

- CTMT-F Center Mount Adj. Knee Angle..... 220.00 <sup>22</sup>
- CTMT-FJ Junior Center Mount Adj. Knee Angle ..... 220.00 <sup>23</sup>

#### CENTER PIVOT STYLE (PAIR)

- 70NHD 70° Swingaway Footrests ..... **Standard** <sup>24</sup>
- 70STAPER 70° Tapered Footrests ..... No Charge <sup>25</sup>
- AT5544 Manual ELR (E0990) ..... 255.00 <sup>26</sup>

#### PIN STYLE HEMI (PAIR)

- PHW93 70° Swingaway Footrests ..... No Charge
- PHAL4A Manual Articulating/ELR (K0053) ..... 225.00

### POWER LEGS

- ELRPW Power ELR w/Articulation 20" Ext (E1010) ..... 1,895.00
- ELRPW22 Power ELR w/Articulation 22" Ext (E1010) ..... 1,995.00

### FOOTBOARD

- 90FB 90FB Flip up Removable Footboard ..... 150.00

### FOOTPLATE OPTIONS (PAIR)

- 1651 Composite Footplates ..... No Charge <sup>27</sup>
- 1350 Extra Large Aluminum Footplates ..... No Charge <sup>28</sup>
- AT5543 Adjustable Angle Flip-Up Footplates..... 165.00 <sup>29</sup>
- FBCTMT Footboard for Center Mount..... 150.00

### FOOTREST/LEGREST ACCESSORIES

- 1337 Calf Strap (K0038) ..... 27.00
- 1600BK Heel Loops w/Ankle Straps (pair) (E0951)..... 56.00
- IMPACTG Impact Guards..... 51.00
- LPT2 Longer Pivot Slide Tube for 1350 ..... 83.00
- ALPT Longer Pivot And Slide Tube ..... 84.00
- ALPT4 Longer Pivot And Slide Tube 4" ..... 84.00

## FOOTNOTES

<sup>18</sup> These options are located in the configurator under the MK6i Electronics Folder. The Category Header inside the folder is labeled Power Seating Accessories.

<sup>19</sup> Not available with SPJ+ Joystick. Must add MK6 Auxiliary Power Source.

<sup>20</sup> 22TRY Base Width 24"; 24TRY Base Width 25.5".

## FOOTNOTES

<sup>21</sup> All front rigging options include a standard footplate with the exception of the 70NHD.

<sup>22</sup> Allows 60 to 90 degree static knee angle positioning with a drop back lever for easier transferring. Extension range 12.5" – 15". Available on low seat-to-floor only.

<sup>23</sup> Allows 60 to 90 degree static knee angle positioning with a drop back lever for easier transferring. Extension range 9.25" – 12". Available on low seat-to-floor only.

<sup>24</sup> With seat widths of 21" to 24" and depth of 16", must pick footplate 1350. The AT5543 is not available.

<sup>25</sup> Standard with impact guards. Not available with widths 19" to 24" and 16" deep seat.

<sup>26</sup> Not available with 16" wide by 16" to 18" deep or 17" wide by 16" deep and low seat-to-floor.

<sup>27</sup> Not available with AT5544 and 17" wide by 16" deep and low seat-to-floor.

<sup>28</sup> Not available with AT5544 and 16" wide by 16" – 18" deep or 17" wide by 16" deep and low seat-to-floor.

<sup>29</sup> One piece footboard for Center Mount (CTMT-F) Riggings.

# Invacare® TDX® SP Rehab Seat Power Wheelchair Accessories and Options

TDX SP Specifications		
<b>Seat Width Range: (In 1" increments)</b>	<b>Adult (Adjust)</b>	<b>Junior (Adjust)</b>
	16" – 24"	12" – 16"
<b>Seat Depth Range:</b>	12" – 22"	12" – 16"
<b>Back Height Range:</b>	12" – 24"	
<b>Back Angle Range:</b>	85° - 105° in 5° increments	
<b>Seat-to-Floor (approximate):</b>		
<u>Standard:</u>	16.5" @ 0°	
<u>Medium:</u>	18.5" @ 0°	
<u>Tall:</u>	20.5" @ 0°	
	At 5° add .5"	
<b>Overall Length:</b>	24" (w/o Joystick)	
<b>Overall Height (with 20" back height &amp; 0° seat angle)</b>		
<u>Standard:</u>	35.5"	
<u>Medium:</u>	37.5"	
<u>Tall:</u>	39.5"	
<b>Overall Length:</b>	35.25" w/o front rigging	43" w/90° front rigging
<b>Weight:</b>		
<u>4 Pole Motor</u>		
	w/o 22NF Batteries:	166 lb
	With two (2) 22NF Batteries:	264 lb
<u>Drive Axle:</u>	Non-Adjustable	
<u>Drive Wheels/Tires:</u>	(Foam Filled or Pneumatic)	
	Standard:	14" x 3"

**Batteries  
(not included)**

**22NF** batteries with terminal configuration (positive on the left and negative on the right) **MUST** be used. 22NF batteries that have the reverse terminal configuration **MUST** not be used. Terminals **MUST** have a cross hole for proper battery connection.

**GP24** batteries with terminal configuration (negative on the left and positive on the right) **MUST** be used. GP24 batteries that have the reverse terminal configuration **MUST** not be used. Terminals **MUST** have cross hole for proper battery connection. See Owner's Manual, part number 1114809. These recommendations **MUST** be followed otherwise injury and damage may occur.

Contoura Seat Sizes							
	D16	D17	D18	D19	D20	D21	D22
W16	X	X	X	X	X	*	*
W18	X	X	X	X	X	*	*
W20	X	X	X	X	X	X	X
W22	*	*	X	X	X	X	X
W24	*	*	X	X	X	X	X
* Not available with Contoura Seat Cushion							
Back Heights 25" or 29.5"							

**Weight Limit 300 Pounds (Standard)**

Invacare recommends all wheelchairs be fitted and programmed to the consumer under the guidance of a healthcare professional, knowledgeable of the particular limitations of the products.

**NOTE:**  
**All weight limits are inclusive of add-on equipment and seating systems.**  
**All specifications and dimensions are approximate.**

## Memory Card – BASIC

- Standard with ALL expandable control systems (MPJ+, PSR+, PSF+, MK6i Display).
- Used to back up/restore programmed settings for only one chair.
- May be given to user or kept with provider's files for safe keeping.
- Does not contain advanced diagnostics/help screens/file structure
- Not compatible with SPJ+ Joysticks.

## Memory Card – PROFESSIONAL

- Standard with ALL MK6i Programmers.
- Available also with USB Card Reader on Order Form.
- Contains Advanced Diagnostics, help screens, software updates, file storage/retrieval.
- Used to back up multiple chairs and programming settings.
- Intended for used by qualified providers only.
- Not compatible with SPJ+ Joysticks.

### Invacare Corporation

[www.invacare.com](http://www.invacare.com)



**USA**  
 One Invacare Way  
 Elyria, OH USA  
 44035-4190  
 800-333-6900

All rights reserved. Trademarks are identified by the symbols <sup>TM</sup> and <sup>®</sup>. All trademarks are owned by or licensed to Invacare Corporation unless otherwise noted.

Products designated by ASL are Manufactured by Adaptive Switch Labs, Inc. Therafin is a registered trademark of W/R Medical Electronics Co. Otto Bock is a trademark of Otto Bock Orthopaedische Industries GMBH & Co. Specifications and prices are subject to change without notification.  
 ©2007 Invacare Corporation