Invacare eForms

For additional information, visit www.invacare.com/eForms

Customer Service: 800-333-6900 Fax: 800-678-4682 To order Literature: 800-828-6282



www.invacare.com

Invacare eForms offer new functionality!

Invacare is pleased to offer you an upgraded solution to your ordering process. Our enhanced order forms allow you to fill out a form electronically, print and fax the form, save and email* it to Customer Service, or maintain the business practices that work for you today. The format has been revised to reveal a cleaner look with electronic selection and input functions. Saving and emailing the eForms is available with Acrobat Professional software

If you are using Adobe Reader

- View and download all forms
- Save blank versions of the forms to your desktop
- Complete forms electronically
- Print blank or completed forms
- Fax completed forms to Customer Service

Please note: The 'Email' button at the end of the form will not work with Adobe Reader. The 'Email' button will only work while using Adobe Acrobat Professional.

If you are using Adobe Acrobat Professional

- View and download all forms
- Save blank AND completed versions of the forms to maintain electronic records
- Complete forms electronically
- Print blank or completed forms
- Fax completed forms to Customer Service
- Email completed forms to Customer Service by using the 'Email' button at the end of the form.

For information on downloading Adobe Reader for free, or puchasing Adobe Acrobat Professional, please visit www.adobe.com.

Invacare® 3G Ranger $X^{\text{\tiny TM}}$ Power Wheelchair

Price List and Order Form

www.invacare.com

Customer Service: 800-333-6900 Fax: 800-678-4682 To order literature: 800-828-6282



		TRANSACTIO	ON TYPE:		res, you can	
		Order	Quote			
Date	Account #		P.O.	#		
Company Nar	me			Phone #		
Address		City	State			
Contact Name	· · · · · · · · · · · · · · · · · · ·	Comments				
		Spec	ial Note			
	are not intended to be, nor should be cor ims to the Medicare Program and should					
CHAIR TY	'PE					
○ 3GRX	Ranger X Base and Seat with MK6i TM . RX comes standard with 400 lb user weight of maximum speed, Heavy-Duty 4-Pole Motor P MK690 Controller, and Monroe® Spring Susp does not come with a seat positioning strapastandard with MK690ACC Controller and SP. Ranger X Base Only with MK6i TM	capacity, 5 mph ackage, SPJ+ J/S, ension. Base Only Base Only comes J+	wheelchair anch accordance with Test requirement corresponds to a TRBKTS include TRBKTS has no	nored pelvic belt. TRR ANSI/RESNA WC V Ants for wheelchairs with person with a weight des four factory-install ot been crash-tested in	transport brackets and a O has been crash-tested in /ol 1. Section 19 Frontal Impact h a 168 lbs. crash dummy, which of 114 lbs. to 209 lbs. ed wheelchair transport brackets. accordance with WC19. Use these upied wheelchair during transport.	
3GSEAT Seat Only			tie-down system moving vehicle wheelchairs sho for transportation	As of this date, the Department of Transportation has not approved any tie-down systems for transportation of a user while in a wheelchair, in a moving vehicle of any type. It is Invacare's position that users of wheelchairs should be transferred into appropriate seating in vehicles for transportation and use be made of the restraints made available by		
	GRX Ranger X with MK6i 400 lb. Weight Capacity			y. Invacare cannot and sportation systems.	I does not recommend any	
	' x 3" Tires with Foam Filled Inserts	No Charge				
I	Heavy-Duty 4 Pole Motors	Standard	* Transport Tie- is not field servi		etrofittable to existing models and	
1228-3 8	" x 2 1/4" Semi Pneumatic Casters	Standard	is not neid servi	ecubic.		
28F I	Desk Length Fixed Height Arm	Standard				
	MK690 Controller	Standard	T	RRO FEATURES FO	OR 3G RANGER X	
	HD 70° Swingaway Footrests	Standard		atures for TRRO	Optional Features for TRRO	
	np Off Board Battery Charger	Standard	Ranger X Base		TrueTrack Upgrade	
1515 Push	Button Style Seat Positioning Strap	Standard	• 400 lbs. user v		FenderFlip-Up Composite Footplates,	
	PRT TIE-DOWN Transport Ready Option		Adj. Rehab SeTilt and BackAny Seat Wid	 Short or Long Base Frame Adj. Rehab Seat with Adj. Seat Tilt and Back Angle Any Seat Width and Depth Flip-Up Composite Aluminum Footplates Adj Angle Flip-Up Fe Calf Strap 		
	Wheelchair Transport Brackets	\$250.00	Low Seat-to-F Sectional or Se	raight Rear Uprights	 Impact Guards MK6i CMPJTM+, PSR+ / PSF 	
USER WE	IGHT LIMITS		• 18" - 24" ASB		Joysticks	
U400 User Weight <400 lbs			• 90° or 95° Bac • Any Arm Typ • 8" x 2 1/4" See	~	Left Hand Mounted Joystick "T" Handle Flexible Joystick Ext	
ADUSTAE	BLE SEAT WIDTH RANGE	Clear		andard Location	Straight Handle Flexible	
1620W 2024W	16" to 20" Seat Width Range	•	• 14" x 3" Tires Inserts • Any Color Fra	with Foam-Filled me Finish	Joystick Ext • MK6i Programmer • Reinforced Back Upholstery	
FRAME T	YPE		Black Nylon o	r Black Vinyl Uph.	• Group 24 Batteries	
SFS	Short Base	Standard 9" to 22" seat depth	• Center Pivot S • 60° Swingawa or 70° Taper	y, 70° Swingaway		
CLFS	Long Base	No Charge	Please no	te that all TRRO cha	irs are set at 10° seat angle	

$Invacare^{\tiny{\texttt{0}}} \ 3G \ Ranger \ X^{\tiny{\texttt{TM}}} \ Power \ Wheelchair$

FRAME WII			Clear		DEPTH SETT			Clear
_	j available in even wid			O D16	a Seating available in de	•		No Chargo
\simeq			No Charge	O D17				
~	" Wide No Charge			Wide No Charge				_
~		Wide			_			_
		Vide			•	, ,		- C
\simeq			No Charge	○ D21				
\sim			\$329.00	O D22				
\sim			\$329.00		_	_		\$329.00
					BAC	CK SELEC	CTION	
○ W24 24	l" Wide		\$329.00	ADJA	SBA BACK TY	PE		Clear
	ne 23" & 24" seat widt	hs are not available w	ith low seat-to-floor.	○ SEC	T Sectional Rea	r Uprights		No Charge
DRIVE TYPI	E OPTION				L8661 On	nit Rear Uprights	·	Less \$20.00
			\$1,899.00	○ SRU		1 0		
	rueTrack driving tech traighter regardless o				C		s	_
S	uspension, <400 lbs.,	user weight limit and	7 mph maximum	O 9720	_			
	peed. Must upgrade to ompatible with SPJ+ j		roller System. Not	\sim		_	nes)	
	SEAT SI	ELECTION		BACK	K HEIGHT ADJ	ASBA		Clear
SEAT SELEC				ВН1	2 Back Height	12"		No Charge
				○ вн1				_
	dj Rehab Seat with Ad	j Seat Tilt and Back Ar	ngle No Charge	○ ВН1	4 Back Height	14"		No Charge
	an Style Captain Se			○ ВН1	_			_
	ull Length adjustable			○ ВН1	•			_
~		9	\$744.00 E122	6	7 Back Height	17"		No Charge
	urved			○ ВН1				_
○ CTB C			\$625.00 E262 E262	0 BH1	9 Back Height	19"		No Charge
o	MCU Omit Sea	t Cushion	Less \$20.00	○ BH2				-
CTBMSH C	ontoura seating wit	h mesh upholstery .	\$635.00 E262		_			_
	-	t Cushion		ВН2	C			U
		c cusinon illinini	2005 \$20. 00	ОВН2	-			_
VAN SEAT S			Clear	○BH2	U			U
	Style seat selection.			\sim	_			
	emi-Recline				K HEIGHT ADJ y with manual reclining			Clear
FULLR F	ull-Recline		\$469.00 E122		•			No Chargo
VAN SEAT	WIDTH		Clear	. Овні				U
	Back not available. Va	n Seat Depth set at the	e following:	() ВНІ () ВНІ	C			C
18 wide set @ 16" (20 wide set @ 18" (() ВНІ () ВНІ	_			_
22 wide set @ 20" o				○BHI	-			_
○ VW18 18	8" Wide		No Charge	e Obin	N20 Dack Height	20	•••••	No Charge
○ VW20 20	0" Wide		\$329.00	BACK	K HEIGHT CO	NTOURA		Clear
○ VW22 22	2" Wide		\$329.00	○ TSE	BH22 Back Height	22"		No Charge
○ VW23 23	3" Wide		\$329.00) TSE	BH25 Back Height	25"		No Charge
○ VW24 24	4" Wide		\$469.00	TSE	BH28 Back Height	28"		No Charge
ADJUSTAB	LE SEAT DEF	TH RANGE	Clear	BACK	ANGLE DEG	REE		Clear
∩ 1619D 10	6" to 19" Seat Dent	h Range	No Charge	e	A 85°			No Charge
~			No Charge					
	_	-		95B				_
	LOOR HEIGH			O 1001				
			see below for additional re the lowest possible STF	O				
	-			RACK	ACCESSORII		•••••	Clear
\sim			No Charge	-				
~			No Charge					
TALL S	eat-To-Floor - Tall	20.75"	No Charge	e 🔘 RBI	P Reinforced B	ack Upholstery		\$49.00
			Short Frame (*	12-16" or 16-19	" Seat Depth)	Long Fram	ne (19-22" Se	eat Depth)
			Low	Medium	Tall	Low	Medium	Tall
Non -						<u> </u>		
Powered	0 Degree		17.5	19.75F	21F	17.75	20F	21.25F
		L., TDDVTC	17.5	17.751	211	17.73	201	21.231
Seating	Seat Angle	M\ IKRK12				ļ		
		W/O TDDI/TC	17.25F	19.5F	20.75F	17.5F	19.75F	21F
		w/o TRBKTS						
	5 Degree		18.25F-19	20.5-21.25	21.75-22.5	18.75F-19.5	21-21.75	22.25-23
	Seat Angle	w/ TRBKTS						
			18-18.75	20.25-21	21.5-22.25	18.5-19.25	20.75-21.5	22-22.75
		w/o TRBKTS		∠∪.∠J-∠ I	Z1.J-ZZ.ZJ		20.70-21.0	2L-2L.IJ
		w/ TRRO	19.50F			20F		

Invacare® 3G Ranger X™ Power Wheelchair

	ARM SELECTION		TIVE DIGITAL CONTROL SYSTEMS Clear of Multiple Drive Joystick or MK6i Display.
ARM TYP	E (PAIR) Clear up and detachable.	○ SNPM6	Sip-N-Puff Digital Interface Box\$1,500.00 E2325 Mini Tash Joystick and Digital Interface Box \$1,750.00 E2321
○ 18F ○ 28F	Full Length Fixed Hgt. Conv. Flip Up No Charge Desk Length Fixed Hgt. Conv. Flip Up Standard	SIP-N-PUF	
○ 19F ○ 29F	Full Length Adj Hgt. Conv. Flip Up	PKG32666	Therafin® Sip-N-Puff Breath Tube Kit\$380.00 E2326
<u> </u>		ADDITION	NAL CONTROL CHOICES
	MK6i™ ELECTRONICS	1558M6	Compact Joystick - Less Std Mount \$770.00
MK6i ELE	CTRONIC CONTROLLERS	5020	Mini Tash Joystick\$405.00
○ MK690	90 Amp Controller Standard	PACM6	Requires SNPM6 Sip-N-Puff Interface Box. Prop Attendant Control with quick release mount \$850.00
MK6TT	True Track Controller	1552M	Digital Attendant Control
GTRAC	G-Trac Module \$995.00 K0108 G-Trac provides Improved Tracking Capabilities and Enhanced	JOYSTICE	K MOUNTING HARDWARE
	Traction. Does not require Special Motors. Not available with SPJ+ joysticks or MK6TT.	QLAM6	Quad Link Retract. Joystick Mnt CMPJ+ \$279.00 E1028 QLAM6 or QLA comes standard with ARM250
STANDAI	RD DRIVER CONTROL	QLA	Quad Link Retract. Joystick Mnt SPJ+ \$279.00 E1028
SPJM6	SPJ+ Single Drive Joystick Standard	□QLM6	QLAM6 or QLA comes standard with ARM250 Quad Link Retract. Joystick Mnt CMPJ+ Van \$230.00 E1028
SPJ+ OPT	IONS (BASE ONLY) Clear	QL	Only available with Van Seating. Quad Link Retract. Joystick Mnt SPJ+ Van \$230.00 E1028
	ems for Multiple Actuator Powered Seating Systems will PSR+, PSF+ or MK6i Display and Alternative Driver Control.		Only available with Van Seating.
○ SPJAP	SPJ+ with Powered Seating Switch Standard		· · · · · · · · · · · · · · · · · · ·
_	Includes Eggswitch with 611 mount.	LEFT	Left Handed Mounted Joystick No Charge
○ SPJAPM	SPJ+ with Joystick ACtuator Control	☐ RIMHW	RIM Hardware For 1500
	Port for Attendant Switch.		Complete Bib Assembly tash/1558\$265.00
			Gatlin Midline for CMPJ+
EXPANDA	ABLE CONTROLLER SYSTEM Clear		Gatlin Midline for 1812
○ PWH	Harness req. for Expandable Electronics \$350.00 E2313 Required to interface joystick or MK6i display with expandable	□RCM ELECTRO	Rear Cane Mount for Compact Joystick \$395.00 NIC ACCESSORIES
○ CMPIM6U	controllers. MPJ+ Multiple Drive Joystick with Color Display \$750.00 E2377	☐ 1813M6	MK6i Programmer with Pro Memory Card \$475.00
_	6 MK6 Display Only (No Driver Control) \$750.00 E2377	1813SD	Pro Memory Card (USBReady)\$90.00
(ASLKD I M	Display only, No Driver Control. Allows choice from order form.	1560	"T" Handle Flexible Joystick Ext \$77.00 E2323
∩ MCD	Mini Color Display	1561	Straight Handle Flexible Joystick Ext \$77.00 E2323
	No port for remote On/Off switch. Stereo port only.	<u> </u>	Chin Cup
		A24VPS	24V MK6 Auxiliary Power Source \$200.00
			5 Auxiliary Module for 1 and 2 \$795.00
	FOR YOUR ASL DRIVE SYSTEM NEEDS		Auxiliary Module for 3 and 4
AS	PLEASE REFER TO THE FOLLOWING: L SINGLE INVOICE PRICE LIST FORM # 02-097.	∐ MPY	Monoport "Y" Cable for CMPJ+ or Display \$15.00 For use with Expandable Controller Systems to provide additional switch site.
		2PB	Dual Push Button \$147.00
ALTERNAT	IVE PROPORTIONAL CONTROL SYSTEMS Clear		Option to replace the Mono Port "Y" cable when requiring two switch functions of the mode switch port on expandable controller systems. Not compatible with SPJ+ joystick
◯ 1500M6	Prop RIM Head Control with MK6i Display \$2,875.00 E2327	☐ 2SW	options. Dual Toggla \$172.00
	SMHD Small Headrest	25 W	Dual Toggle
1558MM6	Compact Joystick with Display		controller systems. Not compatible with SPJ+ joystick options.
O 100 011111		PBMT	Push Button Mounting Kit\$252.00
		RFM	Wireless (RF) Mouse Only Module
		□IR	Infrared Module with Wireless RF Mouse Control \$995.00 Capable of operating up to six remote Infra-Red controlled devices.
			Also allows wireless (RF) Mouse operation through the driver control. Compatible with RFM module for control of two wireless mice from one chair. Includes two button stereo switch (with hook/loop mount) for mouse clicks. Not compatible with SFJ+ Joysticks.

NOTE: All specifications and dimensions are approximate. For the most current pricing information, go to www.invacare.com/homecare.

Invacare® 3G Ranger X^{m} Power Wheelchair

MK6i™ ELECTRONICS Continued			CASTER AND WHEEL SELECTIONS		
ASL OPTI	ONAL ACCESSORIES		CASTER OPTIONS		
ASL304. ASL202.	K Egg Switch-Black	\$180.00 \$732.0	1228-3 1251-3 1220-3	8" x 2 1/4" Semi-Pneu Casters Lt Grey	
_	J Adjustable Proximity Switch		1465-3	9" x 2 3/4" Foam Filled Casters	
ASL611	Adjustable Switch Mounting Bracket	\$252.00		SUSPENSION Clear	
ED A	ME AND UPHOLSTERY C	OI OD	_	ctions are not available with 9" casters.	
CONTEM	PORARY		9213-6 9213-8	Shock Fork For 6" Casters	
○ 24P	Wet Black	U	WHEEL	OPTIONS	
○ 60P ○ 105P	Silver Metallic	0	O 1430-3	14" x 3" Pneumatic Tires	
105F	Black Prism		1431-3	14" x 3" Tires with Foam Filled Inserts	
TOO HOT		Ü	1440	14" x 4" Pneumatic Tires	
○ 61P ○ 119P ○ 120P	Electric Red	No Charge	<u> </u>	14" x 4" Tires with Foam Filled Inserts	
WAY CO			Will add 3/4" o	HEEL HUB overall width. Not available with TrueTrack, does not include Storm wheel or fender.	
○ 62P ○ 127P	Electric Blue	U	FHUB	Free Wheel Hub	
○116P	Sunkissed Orange	U	REAR W	HEEL LOCATION	
◯ 117P	Tangerine Red	No Charge	○ RWF2	Rear Wheel Forward 2" No Charge	
	White Snowolors 71P Silver Vein, 104P Electric Teal, 121P Lolly I	Pop Blue, 122P	() KW12	This location changes the center-of-gravity and performance. Forward wheel position will make turning and climbing easier, but more prone to "wheely". Not available with TrueTrack Package.	
Cosmic Blue, at C-07010903132	nd 125P Emerald Green can be order through specia 7	Is number	○ RWF1	Rear Wheel Forward 1"No Charge	
UPHOLS	TERY COLORS			Will add 3/4" overall width. Not available with TrueTrack system. Does not include Storm Series design wheel or fender.	
O U240	Black Nylon Upholstery	Standard	RWS	Rear Wheel Standard Standard	
O U67	Black Vinyl	No Charge	FENDER	OPTION	
○GV	Grey Vinyl (Van Seat)	No Charge	L8603	Omit Fender Less \$50.00	

POSITIONING STRAPS SEAT POSITIONING STRAPS 1515 Auto Style Buckle Seat Positioning Strap Standard CHEST POSITIONING STRAPS Clear 7311BK Airline Buckle Seat Positioning Strap \$50.00 E0960 Auto Style Chest Positioning Strap \$50.00 E0960 9515 7321BK Hook and Loop Chest Positioning Strap \$40.00 E0960 ADDUCTORS Hardware is packaged with equipment and cannot be ordered separately. (ADD ADDHW Hardware for ADD\$400.00 E1028 (ADDL ADDHWL Hardware for ADDL\$400.00 E1028 **MISCELLANEOUS** MISCELLANEOUS ACCESSORIES 1303 Wheel Locks \$45.00 SEATO2 Oxygen Holder (ASBA Seat Only) \$150.00 E2208 9205H-3 Suspension Shocks Heavy Duty Standard BATTERY SELECTION BATTERY BOXES GP24 Group 24 Battery Boxes No Charge **BATTERIES** BATTERY CHARGER OPTIONS Clear

HANGER BRACKET SELECTION

Lester 8 AMP Battery Charger \$320.00 E2367

Omit Battery Charger Less \$80.00

← LESTR

HANGE	R BRACKET TYPE	Clear
○ ASB	Center Pivot Style Bracket	No Charge
○ PSB	Pin Style Bracket	No Charge
NHB	No Hanger Bracket	No Charge

FRONT RIGGING OPTIONS

		FROM RIGGING OF HOMS				
CEN	TER I	PIVOT	\circ	Clear		
O 70	OHD ONHD OSTAPER T5544	60° Swingaway Footrests 13.5"-17.5"	tandard Charge			
PIN	STYL	E	\circ	Clear		
PW93 S P904A S PAL4A S		Smartleg® Art Legrests 17 1/4" - 21 1/2"				
		EVATING LEGRESTS - ARTICULATING				
No ope leg		Power ELR with Articulation (pair)	WSB to			
These Folder	options a	EGS CONTROL MODULE re located in the Configurator under the MK6i Electronics egory Header inside the folder is labeled Power Seating	Clear			
$\bigcirc 4$	WSB	Four Way Switch Box No G	Charge			
		0	Clear			
	○ FW	T 4 Way ToggleNo O	Charge			
	O QPI	4 Push Buttons	Charge			
\bigcirc s	4WSB	Multiple Actuator Interface Box\$2,	600.00 Clear	E2311		
	○ FW	T 4 Way Toggle No C	Charge			
	○ QPI		_			
3	driver buttor For sy DRIV	Systems extens with two or more actuators, NOT operating extens with two or more actuators, NOT operating extens with 2 or more actuators OPERATING THE ER CONTROL, choose S4WSB. 4-way toggle or 4-push button as attendant control.	r 4-pusl	h		
FOC	TPLA	TE OPTIONS		Clear		
	651 350 450 .T5543	Flip-Up Composite Footplates	Charge Charge	K0040		
FOC	TRES	T/LEGREST ACCESSORIES				
□1:	337	Calf Strap	\$27.00	K0038		
	LOOP	Heel Loops (pair)		E0951		
		Impact Guards		L0331		

"H" Heel Strap \$51.00 K0039

Longer Pivot Slide Tube For 1350 \$83.00

Longer Pivot And Slide Tube\$84.00

3" Extension For 90° Footrest\$31.00

Longer Pivot And Slide Tube 4" \$84.00

]A9342]LPT2

ALPT

ALPT3

ALPT4

Invacare® 3G Ranger X[™] Power Wheelchair

Ranger X Specifications				
Overall Width*	with 14" x 3" wheel 25"			
	with 14" x 4" wheel	27"		
Overall Length**	Short Base	29 1/2"		
	Long Base	32 1/2"		
Seat-to-Floor***	Low, Standard	17 3/4"		
	Medium, Optional	20"		
	Tall, Optional	21 1/4"		
Battery	Group 24 deep cycle; gel/sealed (not supplied)			
Weight Limit	400 lbs. inclusive of add-on seat, systems and equipment			
Weight w/o Batteries	153 lbs.			
Shipping Weight	266 lbs. (18"x 18" seat a	and Group 24 Batteries)		

^{*} Measurement based on wheel based on wheel base. Seat width is width picked plus 7 1/2" for armrest and joystick.

Note: All specifications and dimensions are approximate.

	Contoura Seat Sizes						
	D16	D17	D18	D19	D20	D21	D22
W16	X	X	X	X	X	*	*
W18	X	X	X	X	X	*	*
W20	X	X	X	X	X	X	X
W22	*	*	X	X	X	X	X
W24	*	*	X	X	X	X	X

^{*}Not available with Contoura Seat Cushion.

Back Heights	22",	25",	or 28"
--------------	------	------	--------

Footrest Extension Range				
	AT5043	AT5543	1651	
60HD	N/A	12 1/4" - 16 1/2"	13 1/2" - 17 1/2"	
70MFX	6 3/4" - 12 1/2"	4 1/2" - 10"	N/A	
70NHD	N/A	10 3/4" - 15 3/4"	11 3/4" - 17"	
70STAPER	N/A	12 1/2" - 16 1/2"	13 1/4" - 17 1/4"	
Measured from Seat Pan to back of Footplate.				

Weight Limit 400 Pounds

Invacare recommends all wheelchairs be fitted and programmed to the consumer under the guidance of a healthcare professional, knowledgeable of the particular limitations of the product.

Note: All weight limits are inclusive of add-on equipment and seat systems.

Chair Features and Options

- Independent Monroe® shock suspension for clinical and functional comfort
- 5 MPH maximum speed standard
- Basic switch option capability on integrated seat (ADJASBA)
- Programmable performance to meet individuals needs
- 17.75" seat-to-floor on standard, 20" and 21.25" optional
- Seat location system allows for balanced weighy distribution
- Continuous tilt seat 0° 10°
- Dynamic anti tippers
- Rigid seat pan
- Convenient rear battery access
- Group 24 battery boxes
- Arms are flip back/removable
- Adjustable depth rigging attachment 2" (" increments)
- Automatic dual mode battery charger (Lester brand)
- Compact size: 25" overall base width with 14" x 3" wheels
- Weight limit Up to 400 lbs.
- · Optional long base

Memory Card - BASIC

- Standard with ALL Expandable Control Systems (CMPJ+, PSR+, PSF+, MK6i Display).
- Used to back up / restore programmed settings for only one chair.
- May be given to user or kept with provider's files for safe keeping.
- Does not contain advanced diagnostics / help screens / file structure.
- Not compatible with SPJ+ Joysticks.

Memory Card - PROFESSIONAL

- Standard with ALL MK6i Programmers.
- Available also with USB Card Reader on Order Form.
- Contains advanced diagnostics, help screens, software upgrades, file storage / retrieval
- Used to back up multiple chairs and programming settings.
- Intended for use by qualified providers only.
- Not compatible with SPJ+ Joysticks.

Seating and Positioning

For your seating needs, please refer to the following rehab seating and positioning products: Price List Form No. 07-027

Comments

NOTE: All specifications and dimensions are approximate.

For the most current pricing information, go to www.invacare.com/homecare.

©2013 Invacare Corporation



Invacare Corporation

www.invacare.com

USA One Invacare Way Elyria, OH USA 44035-4190 800-333-6900

All rights reserved. Trademarks are identified by the symbols TM and 8. All trademarks are owned by or licensed to Invacare Corporation unless otherwise noted. Specifications and prices are subject to change without notification.

^{**} Measured from headtube to anti tipper.

^{***} Based on 5° of tilt. Field adjustable for 10° of total pre-tilt.