Wheels - Rear w/ Handrims - Spoke

(After 9/1/11)

Wheels - Rear w/ Handrims - Lightweight Performance (ITESPK)

When ordering a Spoke Wheel with Handrim attached, the standard rim mounting process uses the outside holes of the handrim mounting tabs. To use the inside holes to reduce the overall width of the chair, you must order the wheel and handrim assembled as a special order.

Wheel Style	Tire Type	Anodized Aluminum Wheel Assembly	Grey Plastic Coated	Black Plastic Coated	8 Vertical Projection	8 Oblique Projection
22ITESPK	Pneumatic	1176801	N/A	N/A	N/A	N/A

Wheels - Rear w/ Handrims - Standard Performance (SP)

When ordering a Spoke Wheel with Handrim attached, the standard rim mounting process uses the outside holes of the handrim mounting tabs. To use the inside holes to reduce the overall width of the chair, you must order the wheel and handrim assembled as a special order.

Wheel Style	Tire Type	Anodized Aluminum Wheel Assembly	Grey Plastic Coated	Black Plastic Coated	8 Vertical Projection	8 Oblique Projection
22SP	Pneumatic with Flat Free	1115590-NLA See Note(s) A	1049456-NLA	1115593	1115426-NLA	N/A
24SP	Pneumatic	1115594-NLA See Note(s) A	1049460-NLA	1115599	1115427-NLA	1115428-NLA
24SP	Pneumatic with Flat Free	1115597 See Note(s) A	1049465-NLA	1115601	1115429-NLA	1115430-NLA
24SP	Primo	1115602-NLA See Note(s) A	1049470-NLA	1115603-NLA	1115431-NLA	1115432-NLA
24SP	Continental	1115606-NLA See Note(s) A	1049475-NLA	1115607-NLA	1115433-NLA	1115434-NLA
24SP	КІК	1115645 See Note(s) A	1091332-NLA	1115646	1115447-NLA	1115448-NLA
26SP	Pneumatic	1115613-NLA See Note(s) A	1049484-NLA	1115614-NLA	1115436-NLA	N/A
26SP	Primo	1115616-NLA See Note(s) A	1049488-NLA	1115617-NLA	1115437-NLA	N/A
26SP	Continental	1115619-NLA See Note(s) A	1049492-NLA	1115620-NLA	1115438-NLA	N/A
NOTE: A - As of (11/8/02) these wheels now have a Black finish. For chairs built Before (11/8/02), it is recommended when one wheel is requested that the wheels be replaced in pairs.						

Wheels - Rear w/ Handrims - Spoke

(After 9/1/11)

Wheels - Rear w/ Handrims - High Performance (HPS)

When ordering a Spoke Wheel with Handrim attached, the standard rim mounting process uses the outside holes of the handrim mounting tabs. To use the inside holes to reduce the overall width of the chair, you must order the wheel and handrim assembled as a special order.

	-				-	
Wheel Style	Tire Type	Anodized Aluminum Wheel Assembly	Grey Plastic Coated	Black Plastic Coated	8 Vertical Projection	8 Oblique Projection
24HPS	Pneumatic	1115622 See Note(s) A	1049496-NLA	1115623-NLA	1115439-NLA	N/A
24HPS	Pneumatic with Flat Free	1115625-NLA See Note(s) A	1049500-NLA	1115626-NLA	1115440-NLA	N/A
24HPS	Primo	1115628 See Note(s) A	1049504-NLA	1115629	1115441-NLA	N/A
24HPS	Continental	1115631-NLA See Note(s) A	1049508-NLA	1115632-NLA	1115442-NLA	N/A
24HPS	КІК	1115649 See Note(s) A	1091337-NLA	1115650	1115449-NLA	N/A
26HPS	Pneumatic	1115636-NLA See Note(s) A	1049555-NLA	1115637	1115444-NLA	N/A
26HPS	Primo	1115639-NLA See Note(s) A	1049559-NLA	1115640	1115445-NLA	N/A
NOTE: A - As of (11/8/02) these wheels now have a Black finish. For chairs built Before (11/8/02), it is recommended when one wheel is requested that the wheels be replaced in pairs.						

Wheels - Rear w/ Handrims - Spinergy (SPIN)

When ordering a Spoke Wheel with Handrim attached, the standard rim mounting process uses the outside holes of the handrim mounting tabs. To use the inside holes to reduce the overall width of the chair, you must order the wheel and handrim assembled as a special order.

Wheel Style	Tire Type	Anodized Aluminum Wheel Assembly	Grey Plastic Coated	Black Plastic Coated	8 Vertical Projection	8 Oblique Projection
SPIN24	Primo	1112339	N/A	N/A	N/A	N/A
See Note(s) B, A		See Note(s) A				,
SPIN25	SPIN25 Primo	1112349-NLA	N/A	N/A	N/A	N/A
01 11 120		See Note(s) B, A				
SPIN26	SPIN26 Primo	1112344-NLA	N/A	N/A	N/A	N/A
01 11 120	See Note(s) A	See Note(s) B, A	11/7			
NOTE: A - As of (7/15/02) Spinergy Wheels now have 18 spokes instead of 30. For chairs built Before (7/15/02), it is recommended when						
one wheel is requested that the wheels be replaced in pairs.						
B - As of (11/17/08) Spinergy Wheels changed from black spoke, black hub to a black spoke, silver hub appearance. For chairs						
built Defere (11/17/08), it is recommended when one wheel is requested that the wheels he replaced in pairs						

built Before (11/17/08), it is recommended when one wheel is requested that the wheels be replaced in pairs.

Wheels - Rear w/ Handrims - Spoke

(After 9/1/11)

Wheels - Rear w/ Handrims - Miscellaneous (559TS, 700SP)

When ordering a Spoke Wheel with Handrim attached, the standard rim mounting process uses the outside holes of the handrim mounting tabs. To use the inside holes to reduce the overall width of the chair, you must order the wheel and handrim assembled as a special order.

Wheel Style	Tire Type	Anodized Aluminum Wheel Assembly	Grey Plastic Coated	Black Plastic Coated	8 Vertical Projection	8 Oblique Projection
559TS	Primo	1115610 See Note(s) A	1049480-NLA	1115611-NLA	1115435-NLA	N/A
700SP	Umma Gumma	1115634 See Note(s) A	1049553-NLA	N/A	N/A	N/A
NOTE: A - As of (11/8/02) these wheels now have a Black finish. For chairs built Before (11/8/02), it is recommended when one wheel is requested that the wheels be replaced in pairs.						